

zapier.georgelambert.org · Markdown indexes

VERAE TIME × ZAPIER

README

site/user-docs/README.md

Verae Time for Zapier — user guide

How to go from **zero account** to **registering SHA-256 hashes**, **looking them up on the central Verae chain**, and **finding hashes that were only sealed as part of a bulk Merkle summary** on external tree-node archives.

This is the customer-facing guide (signup → Zaps). Developers: see [zapier-docs-master](#) and the simulator at [verae-zapier-simulator](#).

Live catalog: <https://zapier.georgelambert.org/>

Clone: `ssh://git@git.georgelambert.org:2223/marchon/zapier-user-docs.git`

Contents

1. What you get
2. Sign up for a Verae / zapier account
3. Connect the Zapier app
4. Register a SHA-256 (create timestamp)
5. Wait, async, and completed hooks
6. Look up a hash on the central Verae chain
7. Attachments and metadata (not on chain)
8. Bulk Merkle summaries
9. Look up a hash on tree-node archives
10. Reading receipts
11. Errors, billing, retries
12. Security: what Zapier never sees

Try it without going live

The [interface simulator](#) is a Zapier-like form plus a trace console. Run **Batch Merkle**, copy a leaf SHA-256, then **Find Timestamp by SHA256** (miss) vs **Find Hash (tree nodes)** (proof).